

# Smarter Balanced Assessment Consortium Claims, Targets, and Standard Alignment for Math Interim Assessment Blocks



The Smarter Balanced Assessment Consortium (SBAC) has created a hierarchy comprised of claims and targets that together can be used to make statements about student achievement. Claims are broad statements that outline the outcomes achieved with mastery of the standards within it. Within each claim are a variety of assessment targets that further clarify the knowledge and specific skills that cross over a cluster of standards.

The following tables layout the claims and targets for each assessment claim. Each target may feature a standard or a variety of standards that make up the skill(s) of the target. Each target lists Depth of Knowledge level(s), item type(s) in which the target may be assessed as well as the Interim Assessment Block (IAB) that the target may be assessed in.

Item Types:

- MC Multiple Choice, Single Correct Response
- MS Multiple Choice, Multiple Correct Response
- EQ Equation/Numeric
- MA Matching Tables
- TI Fill-in tables

- DD Drag and Drop
- HS Hot Spot
- G Graphing
- GI Graphing Interaction
- ST Short Text

Depth of Knowledge:

- 1 Recall
- 2 Skill/Concept
- 3 Strategic Thinking
- 4 Extended Thinking

Major and Additional/Supporting Clusters:

Not all content in a given grade is emphasized equally in the standards. Some clusters require greater emphasis than others based on the depth of ideas, the time they take to master, and/or their importance to future mathematics or the demands of college and career readiness. The following tables identify the additional and supporting work for the grade with shading. If no shading is included, all standards listed are part of the major work for the grade.





| Claim                            | Target  | IAB  | DOK  | Standards   | Item Types           |
|----------------------------------|---|--|------|---|----------------------|
| 1: Concepts<br>and<br>Procedures | A: Understand<br>ratio concepts<br>and use ratio<br>reasoning to<br>solve problems. | Ratio and<br>Proportional<br>Relationships | 1, 2 | <ul> <li>6.RP.1: Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three votes."</li> <li>6.RP.2: Understand the concept of a unit rate a/b associated with a ratio a:b with b ≠ 0, and use rate language in the context of a ratio relationship. For example, "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is 3/4 cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger."</li> <li>6.RP.3: Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</li> <li>6.RP.3: Make tables of equivalent ratios relating quantities with whole number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.</li> <li>6.RP.3c: Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means 30/100 times the quantity); solve problems involving finding the whole, given a part and the percent.</li> <li>6.RP.3d: Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities.</li> </ul> | MS, EQ, TI, G,<br>MA |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                            | Target  | IAB                     | DOK  | Standards   | Item Types                      |
|----------------------------------|---|-------------------------|------|---|---------------------------------|
| 1: Concepts<br>and<br>Procedures | <b>B:</b> Apply and<br>extend previous<br>understandings of<br>multiplication and<br>division to divide<br>fractions by<br>fractions. | The<br>Number<br>System | 1, 2 | <b>6.NS.1:</b> Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for $(2/3) \div (3/4)$ and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that $(2/3) \div (3/4) = 8/9$ because $3/4$ of $8/9$ is $2/3$ . (In general, (a/b) $\div$ (c/d) = ad/bc.) How much chocolate will each person get if 3 people share $1/2$ lb of chocolate equally? How many $3/4$ -cup servings are in $2/3$ of a cup of yogurt? How wide is a rectangular strip of land with length $3/4$ mi and area $1/2$ square mi? | MC, DD, EQ                      |
|                                  | <b>C:</b> Compute<br>fluently with<br>multi-digit<br>numbers and find<br>common factors<br>and multiples.                             | The<br>Number<br>System | 1, 2 | <ul> <li>6.NS.2: Fluently divide multi-digit numbers using the standard algorithm.</li> <li>6.NS.3: Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.</li> <li>6.NS.4: Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1–100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express 36 + 8 as 4 (9 + 2).</li> </ul>  | EQ                              |
|                                  | <b>D:</b> Apply and<br>extend previous<br>understandings of<br>numbers to the<br>system of rational<br>numbers.                       | The<br>Number<br>System | 1, 2 | <b>6.NS.5:</b> Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.   | MC, MS, EQ,<br>MA, DD, G,<br>HS |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                            | Target   | IAB                     | DOK  | Standards   | Item Types                      |
|----------------------------------|--|-------------------------|------|---|---------------------------------|
| 1: Concepts<br>and<br>Procedures | <b>D</b> : Apply and<br>extend previous<br>understandings of<br>numbers to the<br>system of rational<br>numbers. | The<br>Number<br>System | 1, 2 | <b>6.NS.6</b> : Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.<br><b>6.NS.6a</b> : Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number iself, e.g., $-(-3) = 3$ , and that 0 is its own opposite.<br><b>6.NS.6b</b> : Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.<br><b>6.NS.6c</b> : Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.<br><b>6.NS.7a</b> : Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. For example, interpret $-3 > -7$ as a statement that $-3$ is located to the right of $-7$ on a number line oriented from left to right.<br><b>6.NS.7b</b> : Write, interpret, and explain statements of order for rational numbers in real-world contexts. For example, write $-3^{\circ}C > -7^{\circ}C$ to express the fact that $-3^{\circ}C$ is warmer than $-7^{\circ}C$ .<br><b>6.NS.7d</b> : Diderstand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. For example, for an account balance of $-30$ dollars, write $ -30  = 30$ to describe the size of the debt in dollars. | MC, MS, EQ,<br>MA, DD, G,<br>HS |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                            | Target   | IAB                             | DOK  | Standards   | Item Types                      |
|----------------------------------|--|---------------------------------|------|---|---------------------------------|
|                                  | D: Apply and<br>extend previous<br>understandings of<br>numbers to the<br>system of rational<br>numbers. | The<br>Number<br>System         | 1, 2 | <b>6.NS.8:</b> Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.  | MC, MS,<br>EQ, MA,<br>DD, G, HS |
| 1: Concepts<br>and<br>Procedures | E: Apply and<br>extend previous<br>understandings of<br>arithmetic to<br>algebraic<br>expressions.       | Expressions<br>and<br>Equations | 1    | <ul> <li>6.EE.1: Write and evaluate numerical expressions involving whole-number exponents.</li> <li>6.EE.2: Write, read, and evaluate expressions in which letters stand for numbers.</li> <li>6.EE.2a: Write expressions that record operations with numbers and with letters standing for numbers. For example, express the calculation "Subtract y from 5" as 5 – y.</li> <li>6.EE.2b: Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. For example, describe the expression 2(8 + 7) as a product of two factors; view (8 + 7) as both a single entity and a sum of two terms.</li> <li>6.EE.2c: Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). For example, use the formulas V = s<sup>3</sup> and A = 6 s<sup>2</sup> to find the volume and surface area of a cube with sides of length s = 1/2.</li> </ul> | MS, EQ, DD                      |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                            | Target   | IAB                             | DOK  | Standards  | Item Types               |
|----------------------------------|--|---------------------------------|------|--|--------------------------|
|                                  | E: Apply and<br>extend previous<br>understandings<br>of arithmetic to<br>algebraic<br>expressions. | Expressions<br>and<br>Equations | 1    | <b>6.EE.3:</b> Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression $3 (2 + x)$ to produce the equivalent expression $6 + 3x$ ; apply the distributive property to the expression $24x + 18y$ to produce the equivalent expression $6 (4x + 3y)$ ; apply properties of operations to $y + y + y$ to produce the equivalent expression $3y$ .<br><b>6.EE.4:</b> Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions $y + y + y$ and $3y$ are equivalent because they name the same number regardless of which number $y$ stands for.   | MS, EQ, DD               |
| 1: Concepts<br>and<br>Procedures | F: Reason about<br>and solve one-<br>variable<br>equations and<br>inequalities.                    | Expressions<br>and<br>Equations | 1, 2 | <b>6.EE.5:</b> Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.<br><b>6.EE.6:</b> Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.<br><b>6.EE.7:</b> Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p, q and x are all nonnegative rational numbers.<br><b>6.EE.8:</b> Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions; represent solutions of such inequalities on number line diagrams. | MC, MS,<br>DD, EQ,<br>MA |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                            | Target   | IAB                             | DOK | Standards   | Item Types            |
|----------------------------------|--|---------------------------------|-----|---|-----------------------|
|                                  | <b>G:</b> Represent and<br>analyze<br>quantitative<br>relationships<br>between<br>dependent and<br>independent<br>variables. | Expressions<br>and<br>Equations | 2   | <b>6.EE.9:</b> Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation d = 65t to represent the relationship between distance and time.  | MC, MS, EQ,<br>MA, TI |
| 1: Concepts<br>and<br>Procedures | <b>H:</b> Solve real-<br>world and<br>mathematical<br>problems<br>involving area,<br>surface area, and<br>volume.            | Geometry                        | 2   | <ul> <li>6.G.1: Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.</li> <li>6.G.2: Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas V = I w h and V = b h to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.</li> <li>6.G.3: Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.</li> <li>6.G.4: Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical mathematical problems.</li> </ul> | EQ, G                 |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                            | Target  | IAB                              | DOK  | Standards   | Item Types                   |
|----------------------------------|---|----------------------------------|------|---|------------------------------|
|                                  | I: Develop an<br>understanding of<br>statistics<br>variability. | Statistics<br>and<br>Probability | 2    | <ul> <li>6.SP.1: Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. For example, "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages.</li> <li>6.SP.2: Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.</li> <li>6.SP.3: Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.</li> </ul>   | MC, MA                       |
| 1: Concepts<br>and<br>Procedures | J: Summarize and<br>describe<br>distributions.                  | Statistics<br>and<br>Probability | 1, 2 | <ul> <li>6.SP.4: Display numerical data in plots on a number line, including dot plots, histograms, and box plots.</li> <li>6.SP.5: Summarize numerical data sets in relation to their context, such as by:</li> <li>6.SP.5a: Reporting the number of observations.</li> <li>6.SP.5b: Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.</li> <li>6.SP.5c: Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered.</li> <li>6.SP.5d: Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.</li> </ul> | MC, MS,<br>EQ, DD, HS,<br>MA |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                 | Target/DOK  | IAB  | Standards   | Item Types   |
|-----------------------|---|--|---|--|
| 2: Problem<br>Solving | <ul> <li>A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Select and use appropriate tools strategically. (1, 2, 3)</li> <li>C: Interpret results in the context of a situation. (1, 2, 3)</li> <li>D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.RP.1: Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three votes."</li> <li>6.RP.2: Understand the concept of a unit rate a/b associated with a ratio a:b with b ≠ 0, and use rate language in the context of a ratio relationship. For example, "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is 3/4 cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger."</li> <li>6.RP.3: Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</li> <li>6.RP.3a: Make tables of equivalent ratios relating quantities with whole number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.</li> <li>6.RP.3b: Solve unit rate problems including those involving unit pricing and constant speed. For example, "If it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed?"</li> <li>6.RP.3d: Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities.</li> </ul> | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                 | Target/DOK  | IAB  | Standards   | Item Types   |
|-----------------------|---|--|---|--|
| 2: Problem<br>Solving | <ul> <li>A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Select and use appropriate tools strategically. (1, 2, 3)</li> <li>C: Interpret results in the context of a situation. (1, 2, 3)</li> <li>D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.NS.1: Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for (2/3) ÷ (3/4) and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that (2/3) ÷ (3/4) = 8/9 because 3/4 of 8/9 is 2/3. (In general, (a/b) ÷ (c/d) = ad/bc.) How much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 3/4-cup servings are in 2/3 of a cup of yogurt? How wide is a rectangular strip of land with length 3/4 mi and area 1/2 square mi?</li> <li>6.NS.5: Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.</li> </ul> | MC, MS,<br>EQ, GI, MA,<br>DD, HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim      | Target/DOK   | IAB             | Standards  | Item Types   |
|------------|--|-----------------|--|--------------|
|            | A: Apply mathematics to<br>solve well-posed problems |                 |  |              |
|            | in pure mathematics and                              |                 |  |              |
|            | arising in everyday life,                            | Ratio and       |  |              |
|            | society, and the                                     | Proportional    | <b>6.NS.6:</b> Understand a rational number as a point on the number line. |              |
|            | workplace.   | Relationships   | Extend number line diagrams and coordinate axes familiar from              |              |
|            | (2, 3)   |                 | previous grades to represent points on the line and in the plane with      |              |
|            |  | Expressions and | negative number coordinates.   |              |
|            | B: Select and use                                    | Equations       | <b>6.NS.6a:</b> Recognize opposite signs of numbers as indicating          |              |
|            | appropriate tools                                    |                 | locations on opposite sides of 0 on the number line; recognize that        | MC, MS, EQ,  |
| 2: Problem | strategically. (1, 2, 3)                             | Geometry        | the opposite of the opposite of a number is the number itself, e.g.,       | GI, MA, DD,  |
| Solving    |  |                 | -(-3) = 3, and that 0 is its own opposite.                                 | HS, TI       |
|            | C: Interpret results in the                          | The Number      | <b>6.NS.6b:</b> Understand signs of numbers in ordered pairs as            |              |
|            | context of a situation.                              | System          | indicating locations in quadrants of the coordinate plane; recognize       | ST (PT Only) |
|            | (1, 2, 3)  |                 | that when two ordered pairs differ only by signs, the locations of the     |              |
|            |  | Statistics and  | points are related by reflections across one or both axes.                 |              |
|            | <b>D:</b> Identify important                         | Probability     | <b>6.NS.6c:</b> Find and position integers and other rational numbers on   |              |
|            | quantities in a practical                            | Deufeureeree    | a horizontal or vertical number line diagram; find and position pairs      |              |
|            | situation and map their                              | Performance     | of integers and other rational numbers on a coordinate plane.              |              |
|            | relationships (e.g., using                           | Task            |  |              |
|            | diagrams, two-way tables,                            |                 |  |              |
|            | graphs, flowcharts, or                               |                 |  |              |
|            | formulas). (1, 2, 3)                                 |                 |  |              |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                 | Target/DOK  | IAB  | Standards  | Item Types   |
|-----------------------|---|--|--|--|
| 2: Problem<br>Solving | <ul> <li>A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Select and use appropriate tools strategically. (1, 2, 3)</li> <li>C: Interpret results in the context of a situation. (1, 2, 3)</li> <li>D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.NS.7: Understand ordering and absolute value of rational numbers.</li> <li>6.NS.7a: Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. For example, interpret -3 &gt; -7 as a statement that -3 is located to the right of -7 on a number line oriented from left to right.</li> <li>6.NS.7b: Write, interpret, and explain statements of order for rational numbers in real-world contexts. For example, write -3°C &gt; -7°C to express the fact that -3°C is warmer than -7°C.</li> <li>6.NS.7c: Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. For example, for an account balance of -30 dollars, write  -30  = 30 to describe the size of the debt in dollars.</li> <li>6.NS.7d: Distinguish comparisons of absolute value from statements about order. For example, recognize that an account balance less than -30 dollars represents a debt greater than 30 dollars.</li> </ul> | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                 | Target/DOK  | IAB  | Standards  | Item Types   |
|-----------------------|---|--|--|--|
|                       | A: Apply mathematics to<br>solve well-posed problems<br>in pure mathematics and<br>arising in everyday life,  | Ratio and  | <b>6.NS.8:</b> Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.   |  |
|                       | society, and the<br>workplace.  | Proportional<br>Relationships  | <b>6.EE.1:</b> Write and evaluate numerical expressions involving whole-<br>number exponents.  |  |
| 2: Problem<br>Solving | <ul> <li>(2, 3)</li> <li>B: Select and use appropriate tools strategically. (1, 2, 3)</li> <li>C: Interpret results in the context of a situation. (1, 2, 3)</li> <li>D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> </ul> | Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <b>6.EE.2:</b> Write, read, and evaluate expressions in which letters stand for numbers.<br><b>6.EE.2a:</b> Write expressions that record operations with numbers and with letters standing for numbers. For example, express the calculation "Subtract y from 5" as $5 - y$ .<br><b>6.EE.2b:</b> Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. For example, describe the expression 2(8 + 7) as a product of two factors; view (8 + 7) as both a single entity and a sum of two terms.<br><b>6.EE.2c:</b> Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). For example, use the formulas V = s <sup>3</sup> and A = 6 s <sup>2</sup> to find the volume and surface area of a cube with sides of length s = 1/2. | MC, MS, EQ,<br>GI, MA, DD, HS,<br>TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                 | Target/DOK  | IAB  | Standards  | ltem Types   |
|-----------------------|---|--|--|--|
| 2: Problem<br>Solving | <ul> <li>A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Select and use appropriate tools strategically. (1, 2, 3)</li> <li>C: Interpret results in the context of a situation. (1, 2, 3)</li> <li>D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <b>6.EE.3</b> : Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression 3 (2 + x) to produce the equivalent expression 6 + 3x; apply the distributive property to the expression $24x + 18y$ to produce the equivalent expression $24x + 18y$ to produce the equivalent expression $3y$ .<br><b>6.EE.4</b> : Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions $y + y + y$ and $3y$ are equivalent because they name the same number regardless of which number y stands for.<br><b>6.EE.5</b> : Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.<br><b>6.EE.6</b> : Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.<br><b>6.EE.7</b> : Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p, q and x are all nonnegative rational numbers. | MC, MS, EQ,<br>GI, MA, DD, HS,<br>TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                 | Target/DOK  | IAB  | Standards  | Item Types   |
|-----------------------|---|--|--|--|
| 2: Problem<br>Solving | <ul> <li>A: Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Select and use appropriate tools strategically. (1, 2, 3)</li> <li>C: Interpret results in the context of a situation. (1, 2, 3)</li> <li>D: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.EE.8: Write an inequality of the form x &gt; c or x &lt; c to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form x &gt; c or x &lt; c have infinitely many solutions; represent solutions of such inequalities on number line diagrams.</li> <li>6.EE.9: Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation d = 65t to represent the relationship between distance and time.</li> </ul> | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                          | Target/DOK  | IAB   | Standards   | Item Types   |
|--------------------------------|---|---|---|--|
| Claim<br>2: Problem<br>Solving | Target/DOKA: Apply mathematics to<br>solve well-posed problems<br>in pure mathematics and<br>arising in everyday life,<br>society, and the<br>workplace.<br>(2, 3)B: Select and use<br> | IAB<br>Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and | <ul> <li>Standards</li> <li>6.G.1: Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.</li> <li>6.G.2: Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas V = I w h and V = b h to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.</li> <li>6.G.3: Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second</li> </ul> | Item Types<br>MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |
|                                | <b>D:</b> Identify important quantities in a practical cituation and man their  | Probability<br>Performance<br>Task  | coordinate. Apply these techniques in the context of solving real-<br>world and mathematical problems.  |  |
|                                | situation and map their<br>relationships (e.g., using<br>diagrams, two-way tables,<br>graphs, flowcharts, or<br>formulas). (1, 2, 3)  |   | <b>6.G.4:</b> Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.  |  |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                                     | Target/DOK   | IAB  | Standards   | Item Types   |
|---|--|--|---|--|
| Claim<br>3:<br>Communicating<br>Reasoning | <ul> <li>Target/DOK</li> <li>A: Test propositions or conjectures with specific examples. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)</li> <li>C: State logical assumptions being used. (2, 3)</li> <li>D: Use the technique of breaking an argument into cases. (2, 3)</li> <li>E: Distinguish correct logic or reasoning from that which is flawed andif there is a flaw in the argumentexplain what it is. (2, 3, 4)</li> <li>F: Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)</li> <li>G: At later grades, determine conditions</li> </ul> | IAB<br>Ratio and<br>Proportional<br>Relationships<br>Expressions<br>and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <b>5.89 6.89.3</b> : Use ratio and rate reasoning to solve real-<br>world and mathematical problems, e.g., by reasoning<br>about tables of equivalent ratios, tape diagrams,<br>double number line diagrams, or equations.<br><b>6.NS.1</b> : Interpret and compute quotients of fractions,<br>and solve word problems involving division of<br>fractions by fractions, e.g., by using visual fraction<br>models and equations to represent the problem. For<br>example, create a story context for $(2/3) \div (3/4)$ and<br>use a visual fraction model to show the quotient; use<br>the relationship between multiplication and division<br>to explain that $(2/3) \div (3/4) = 8/9$ because $3/4$ of $8/9$<br>is $2/3$ . (In general, $(a/b) \div (c/d) = ad/bc.$ ) How much<br>chocolate will each person get if 3 people share $1/2$ lb<br>of chocolate equally? How many $3/4$ -cup servings are | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |
|   | under which an argument does and<br>does not apply. (For example, area<br>increases with perimeter for squares,<br>but not for all plane figures.) (2, 3)  |  | in 2/3 of a cup of yogurt? How many 5/4 cup scrings are<br>strip of land with length 3/4 mi and area 1/2 square<br>mi?  |  |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                            | Target/DOK   | IAB  | Standards  | Item Types   |
|----------------------------------|--|--|--|--|
|                                  | <ul> <li>A: Test propositions or conjectures with specific examples. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)</li> <li>C: State logical assumptions being used. (2, 3)</li> </ul>  | Ratio and<br>Proportional<br>Relationships   | <b>6.NS.5:</b> Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.  |  |
| 3:<br>Communicating<br>Reasoning | <ul> <li>D: Use the technique of breaking an argument into cases. (2, 3)</li> <li>E: Distinguish correct logic or reasoning from that which is flawed andif there is a flaw in the argumentexplain what it is. (2, 3, 4)</li> <li>F: Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)</li> <li>G: At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)</li> </ul> | Expressions<br>and Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.NS.6: Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.</li> <li>6.NS.6a: Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g., -(-3) = 3, and that 0 is its own opposite.</li> <li>6.NS.6b: Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.</li> <li>6.NS.6c: Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.</li> </ul> | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim         | Target/DOK                                 | IAB                           | Standards   | Item Types   |
|---------------|--|-------------------------------|---|--------------|
|               | A: Test propositions or conjectures        |                               |   |              |
|               | with specific examples. (2, 3)             |                               |   |              |
|               | B: Construct, autonomously, chains of      |                               | 6.NS.7: Understand ordering and absolute value of   |              |
|               | reasoning that will justify or refute      |                               | rational numbers.   |              |
|               | propositions or conjectures. (2, 3, 4)     |                               | 6.NS.7a: Interpret statements of inequality as  |              |
|               |  | Ratio and                     | statements about the relative position of two   |              |
|               | <b>C:</b> State logical assumptions being  | Proportional                  | numbers on a number line diagram. For example,  |              |
|               | used. (2, 3)                               | Relationships                 | interpret $-3 > -7$ as a statement that $-3$ is located to  |              |
|               | <b>D:</b> Use the technique of breaking an | Expressions                   | the right of –7 on a number line oriented from left to right.   |              |
|               | argument into cases. (2, 3)                | and Equations                 | <b>6.NS.7b:</b> Write, interpret, and explain statements of   |              |
| 3:            |  |                               | order for rational numbers in real-world contexts. For  | MC, MS, EQ,  |
| Communicating | E: Distinguish correct logic or reasoning  | Geometry                      | example, write $-3^{\circ}C > -7^{\circ}C$ to express the fact that –   | GI, MA, DD,  |
| Reasoning     | from that which is flawed andif there      |                               | 3°C is warmer than –7°C.  | HS, TI       |
|               | is a flaw in the argumentexplain what      | The Number                    | <b>6.NS.7c:</b> Understand the absolute value of a  |              |
|               | it is.                                     | System                        | rational number as its distance from 0 on the number  | ST (PT Only) |
|               | (2, 3, 4)                                  |                               | line; interpret absolute value as magnitude for a   |              |
|               | <b>F:</b> Base arguments on concrete       | Statistics and<br>Probability | positive or negative quantity in a real-world situation.<br>For example, for an account balance of -30 dollars, |              |
|               | referents such as objects, drawings,       | Trobability                   | write $ -30  = 30$ to describe the size of the debt in  |              |
|               | diagrams, and actions. (2, 3)              | Performance                   | dollars.  |              |
|               |  | Task                          | 6.NS.7d: Distinguish comparisons of absolute value  |              |
|               | G: At later grades, determine              |                               | from statements about order. For example, recognize   |              |
|               | conditions under which an argument         |                               | that an account balance less than -30 dollars   |              |
|               | does and does not apply. (For example,     |                               | represents a debt greater than 30 dollars.  |              |
|               | area increases with perimeter for          |                               |   |              |
|               | squares, but not for all plane figures.)   |                               |   |              |
|               | (2, 3)                                     |                               |   |              |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                                     | Target/DOK  | IAB   | Standards   | Item Types   |
|---|---|---|---|--|
| Claim<br>3:<br>Communicating<br>Reasoning | <ul> <li>A: Test propositions or conjectures with specific examples. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)</li> <li>C: State logical assumptions being used. (2, 3)</li> <li>D: Use the technique of breaking an argument into cases. (2, 3)</li> <li>E: Distinguish correct logic or reasoning from that which is flawed andif there is a flaw in the argumentexplain what it is. (2, 3, 4)</li> <li>F: Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)</li> <li>G: At later grades, determine conditions under which an argument does and does not apply. (For example,</li> </ul> | IAB<br>Ratio and<br>Proportional<br>Relationships<br>Expressions<br>and Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.EE.3: Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression 3 (2 + x) to produce the equivalent expression 6 + 3x; apply the distributive property to the expression 24x + 18y to produce the equivalent expression 6 (4x + 3y); apply properties of operations to y + y + y to produce the equivalent expression 3y.</li> <li>6.EE.4: Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions y + y + y and 3y are equivalent because they name the same number regardless of which number y stands for.</li> <li>6.EE.6: Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on</li> </ul> | Item Types<br>MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |
| Communicating                             | <ul> <li>D: Use the technique of breaking an argument into cases. (2, 3)</li> <li>E: Distinguish correct logic or reasoning from that which is flawed andif there is a flaw in the argumentexplain what it is. (2, 3, 4)</li> <li>F: Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)</li> <li>G: At later grades, determine conditions under which an argument</li> </ul>   | Expressions<br>and Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance  | <ul> <li>6.EE.4: Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions y + y + y and 3y are equivalent because they name the same number regardless of which number y stands for.</li> <li>6.EE.6: Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable</li> </ul>  | GI, MA<br>HS,  |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                            | Target/DOK  | IAB  | Standards  | Item Types   |
|----------------------------------|---|--|--|--|
| 3:<br>Communicating<br>Reasoning | <ul> <li>A: Test propositions or conjectures with specific examples. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)</li> <li>C: State logical assumptions being used. (2, 3)</li> <li>D: Use the technique of breaking an argument into cases. (2, 3)</li> <li>E: Distinguish correct logic or reasoning from that which is flawed andif there is a flaw in the argumentexplain what it is. (2, 3, 4)</li> <li>F: Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)</li> <li>G: At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions<br>and Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <b>6.EE.9:</b> Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation d = 65t to represent the relationship between distance and time. | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                | Target/DOK  | IAB  | Standards   | Item Types            |
|----------------------|---|--|---|-----------------------|
|                      | <ul> <li>A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</li> <li>C: State logical assumptions being used. (1, 2, 3)</li> <li>D: Interpret results in the context of a</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions<br>and Equations<br>Geometry | <b>6.RP.1:</b> Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three votes." | MC, MS, EQ,           |
| 4: Modeling          | situation. (2, 3)   | The Number   |   | GI, MA, DD,<br>HS, TI |
| and Data<br>Analysis | <b>E:</b> Analyze the adequacy of and make<br>improvements to an existing model or<br>develop a mathematical model of a real<br>phenomenon. (2, 3, 4)   | System<br>Statistics and<br>Probability<br>Performance<br>Task                         | 6.RP.2: Understand the concept of a unit rate a/b   | ST (PT Only)          |
|                      | F: Identify important quantities in a<br>practical situation and map their<br>relationships (e.g., using diagrams, two-<br>way tables, graphs, flowcharts, or<br>formulas). (1, 2, 3)   |  | associated with a ratio a:b with $b \neq 0$ , and use rate<br>language in the context of a ratio relationship. For<br>example, "This recipe has a ratio of 3 cups of flour to 4<br>cups of sugar, so there is 3/4 cup of flour for each cup<br>of sugar." "We paid \$75 for 15 hamburgers, which is a<br>rate of \$5 per hamburger."          |                       |
|                      | <b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)  |  |   |                       |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim  | Target/DOK   | IAB   | Standards  | Item Types   |
|--|--|---|--|--|
| Claim<br>4: Modeling<br>and Data<br>Analysis | <ul> <li>A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</li> <li>C: State logical assumptions being used. (1, 2, 3)</li> <li>D: Interpret results in the context of a situation. (2, 3)</li> <li>E: Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)</li> <li>F: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, twoway tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> <li>G: Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</li> </ul> | IAB<br>Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.RP.3: Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</li> <li>6.RP.3a: Make tables of equivalent ratios relating quantities with whole number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.</li> <li>6.RP.3b: Solve unit rate problems including those involving unit pricing and constant speed. For example, "If it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed?"</li> <li>6.RP.3c: Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means 30/100 times the quantity); solve problems involving finding the whole, given a part and the percent.</li> <li>6.RP.3d: Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities.</li> </ul> | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



# Smarter Balanced Assessment Consortium Claims, Targets, and Standard Alignment for Math Interim Assessment Blocks



The Smarter Balanced Assessment Consortium (SBAC) has created a hierarchy comprised of claims and targets that together can be used to make statements about student achievement. Claims are broad statements that outline the outcomes achieved with mastery of the standards within it. Within each claim are a variety of assessment targets that further clarify the knowledge and specific skills that cross over a cluster of standards.

The following tables layout the claims and targets for each assessment claim. Each target may feature a standard or a variety of standards that make up the skill(s) of the target. Each target lists Depth of Knowledge level(s), item type(s) in which the target may be assessed as well as the Interim Assessment Block (IAB) that the target may be assessed in.

Item Types:

- MC Multiple Choice, Single Correct Response
- MS Multiple Choice, Multiple Correct Response
- EQ Equation/Numeric
- MA Matching Tables
- TI Fill-in tables

- DD Drag and Drop
- HS Hot Spot
- G Graphing
- GI Graphing Interaction
- ST Short Text

Depth of Knowledge:

- 1 Recall
- 2 Skill/Concept
- 3 Strategic Thinking
- 4 Extended Thinking

Major and Additional/Supporting Clusters:

Not all content in a given grade is emphasized equally in the standards. Some clusters require greater emphasis than others based on the depth of ideas, the time they take to master, and/or their importance to future mathematics or the demands of college and career readiness. The following tables identify the additional and supporting work for the grade with shading. If no shading is included, all standards listed are part of the major work for the grade.





| Claim                               | Target/DOK   | IAB  | Standards   | Item Types   |
|-------------------------------------|--|--|---|--|
| 4: Modeling<br>and Data<br>Analysis | <ul> <li>A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</li> <li>C: State logical assumptions being used. (1, 2, 3)</li> <li>D: Interpret results in the context of a situation. (2, 3)</li> <li>E: Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)</li> <li>F: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, twoway tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> <li>G: Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.NS.1: Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for (2/3) ÷ (3/4) and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that (2/3) ÷ (3/4) = 8/9 because 3/4 of 8/9 is 2/3. (In general, (a/b) ÷ (c/d) = ad/bc.) How much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 3/4-cup servings are in 2/3 of a cup of yogurt? How wide is a rectangular strip of land with length 3/4 mi and area 1/2 square mi?</li> <li>6.NS.5: Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.</li> </ul> | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





|  | A  |  |  | Item Types   |
|--|--|--|--|--|
| 4: Modeling<br>and Data<br>Analysis<br>F<br>rela | <ul> <li>Apply mathematics to solve problems ising in everyday life, society, and the workplace. (2, 3)</li> <li>Construct, autonomously, chains of reasoning to justify mathematical odels used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</li> <li>State logical assumptions being used. (1, 2, 3)</li> <li>Interpret results in the context of a situation. (2, 3)</li> <li>Analyze the adequacy of and make provements to an existing model or velop a mathematical model of a real phenomenon. (2, 3, 4)</li> <li>F: Identify important quantities in a practical situation and map their lationships (e.g., using diagrams, twoway tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> <li>G: Identify, analyze and synthesize elevant external resources to pose or</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.NS.7: Understand ordering and absolute value of rational numbers.</li> <li>6.NS.7a: Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. For example, interpret -3 &gt; -7 as a statement that -3 is located to the right of -7 on a number line oriented from left to right.</li> <li>6.NS.7b: Write, interpret, and explain statements of order for rational numbers in real-world contexts. For example, write -3°C &gt; -7°C to express the fact that -3°C is warmer than -7°C.</li> <li>6.NS.7c: Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. For example, for an account balance of -30 dollars, write  -30  = 30 to describe the size of the debt in dollars.</li> <li>6.NS.7d: Distinguish comparisons of absolute value from statements about order. For example, recognize that an account balance less than -30 dollars represents a debt greater than 30 dollars.</li> </ul> | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                               | Target/DOK  | IAB   | Standards  | Item Types                           |
|-------------------------------------|---|---|--|--------------------------------------|
| 4: Modeling<br>and Data<br>Analysis | <ul> <li>A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions and | <b>6.NS.8:</b> Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.                         | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI |
|                                     | <b>C:</b> State logical assumptions being used. (1, 2, 3)   | Equations   | <b>6.EE.5:</b> Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true. |                                      |
|                                     | <b>D:</b> Interpret results in the context of a situation. (2, 3)   | Geometry<br>The Number  |  |                                      |
|                                     | E: Analyze the adequacy of and make improvements to an existing model or devolve a mathematical model of a real   | System<br>Statistics and                                      |  |                                      |
|                                     | develop a mathematical model of a real<br>phenomenon. (2, 3, 4)   | Probability   |  |                                      |
|                                     | F: Identify important quantities in a<br>practical situation and map their<br>relationships (e.g., using diagrams, two-<br>way tables, graphs, flowcharts, or<br>formulas). (1, 2, 3)   | Performance<br>Task   | <b>6.EE.6:</b> Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.                                      |                                      |
|                                     | <b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)  |   |  |                                      |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                                  | Target/DOK  | IAB  | Standards  | Item Types   |
|--|---|--|--|--------------|
| 4:<br>Modeling<br>and Data<br>Analysis | <ul> <li>A: Apply mathematics to solve problems<br/>arising in everyday life, society, and the<br/>workplace. (2, 3)</li> <li>B: Construct, autonomously, chains of<br/>reasoning to justify mathematical models</li> </ul>   | Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <b>6.EE.7:</b> Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which p, q and x are all nonnegative rational numbers.  |              |
|  | used, interpretations made, and solutions<br>proposed for a complex problem. (2, 3, 4)<br>C: State logical assumptions being used.<br>(1, 2, 3)<br>D: Interpret results in the context of a<br>situation. (2, 3)  |  | <b>6.EE.8:</b> Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions; represent solutions of such inequalities on number line diagrams.   |              |
|  | <ul> <li>E: Analyze the adequacy of and make<br/>improvements to an existing model or<br/>develop a mathematical model of a real<br/>phenomenon. (2, 3, 4)</li> <li>F: Identify important quantities in a<br/>practical situation and map their<br/>relationships (e.g., using diagrams, two-<br/>way tables, graphs, flowcharts, or<br/>formulas). (1, 2, 3)</li> <li>G: Identify, analyze and synthesize<br/>relevant external resources to pose or<br/>solve problems. (3, 4)</li> </ul> |  | <b>6.EE.9:</b> Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation d = 65t to represent the relationship between distance and time. | ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                               | Target/DOK   | IAB  | Standards   | Item Types   |
|-------------------------------------|--|--|---|--|
| Claim                               | <ul> <li>Target/DOK</li> <li>A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</li> <li>C: State logical assumptions being used.</li> </ul>  | IAB<br>Ratio and<br>Proportional<br>Relationships<br>Expressions and   | <b>6.G.1:</b> Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.   | ltem Types   |
| 4: Modeling<br>and Data<br>Analysis | <ul> <li>C. State logical assumptions being used.<br/>(1, 2, 3)</li> <li>D: Interpret results in the context of a situation. (2, 3)</li> <li>E: Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)</li> <li>F: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> <li>G: Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</li> </ul> | Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <b>6.G.2:</b> Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas $V = I w h$ and $V = b h$ to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems. | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim       | Target/DOK                                      | IAB             | Standards   | Item Types     |
|-------------|---|-----------------|---|----------------|
|             | A: Apply mathematics to solve problems          |                 | 6.G.3: Draw polygons in the coordinate plane given        |                |
|             | arising in everyday life, society, and the      |                 | coordinates for the vertices; use coordinates to find the |                |
|             | workplace. (2, 3)                               |                 | length of a side joining points with the same first       |                |
|             |   |                 | coordinate or the same second coordinate. Apply these     |                |
|             | B: Construct, autonomously, chains of           |                 | techniques in the context of solving real-world and       |                |
|             | reasoning to justify mathematical models        | Ratio and       | mathematical problems.                                    |                |
|             | used, interpretations made, and solutions       | Proportional    | 6.G.4: Represent three-dimensional figures using nets     |                |
|             | proposed for a complex problem. (2, 3, 4)       | Relationships   | made up of rectangles and triangles, and use the nets     |                |
|             |   |                 | to find the surface area of these figures. Apply these    |                |
|             | <b>C:</b> State logical assumptions being used. | Expressions and | techniques in the context of solving real-world and       |                |
|             | (1, 2, 3)                                       | Equations       | mathematical problems.                                    |                |
|             |   |                 | 6.SP.1: Recognize a statistical question as one that      |                |
|             | <b>D:</b> Interpret results in the context of a | Geometry        | anticipates variability in the data related to the        | MC, MS, EQ,    |
| 4: Modeling | situation. (2, 3)                               |                 | question and accounts for it in the answers. For          | GI, MA, DD,    |
| and Data    |   | The Number      | example, "How old am I?" is not a statistical question,   | НЅ <i>,</i> ТІ |
| Analysis    | E: Analyze the adequacy of and make             | System          | but "How old are the students in my school?" is a         |                |
|             | improvements to an existing model or            |                 | statistical question because one anticipates variability  | ST (PT Only)   |
|             | develop a mathematical model of a real          | Statistics and  | in students' ages.  |                |
|             | phenomenon. (2, 3, 4)                           | Probability     | 6.SP.2: Understand that a set of data collected to        |                |
|             |   |                 | answer a statistical question has a distribution which    |                |
|             | F: Identify important quantities in a           | Performance     | can be described by its center, spread, and overall       |                |
|             | practical situation and map their               | Task            | shape.  |                |
|             | relationships (e.g., using diagrams, two-       |                 | 6.SP.3: Recognize that a measure of center for a          |                |
|             | way tables, graphs, flowcharts, or              |                 | numerical data set summarizes all of its values with a    |                |
|             | formulas). (1, 2, 3)                            |                 | single number, while a measure of variation describes     |                |
|             |   |                 | how its values vary with a single number.                 |                |
|             | <b>G:</b> Identify, analyze and synthesize      |                 | 6.SP.4: Display numerical data in plots on a number       |                |
|             | relevant external resources to pose or          |                 | line, including dot plots, histograms, and box plots.     |                |
|             | solve problems. (3, 4)                          |                 | , <u> </u>  |                |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.





| Claim                               | Target/DOK   | IAB  | Standards  | Item Types   |
|-------------------------------------|--|--|--|--|
| 4: Modeling<br>and Data<br>Analysis | <ul> <li>A: Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</li> <li>B: Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</li> <li>C: State logical assumptions being used. (1, 2, 3)</li> <li>D: Interpret results in the context of a situation. (2, 3)</li> <li>E: Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)</li> <li>F: Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, twoway tables, graphs, flowcharts, or formulas). (1, 2, 3)</li> <li>G: Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</li> </ul> | Ratio and<br>Proportional<br>Relationships<br>Expressions and<br>Equations<br>Geometry<br>The Number<br>System<br>Statistics and<br>Probability<br>Performance<br>Task | <ul> <li>6.SP.5: Summarize numerical data sets in relation to their context, such as by:</li> <li>6.SP.5a: Reporting the number of observations.</li> <li>6.SP.5b: Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.</li> <li>6.SP.5c: Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered.</li> <li>6.SP.5d: Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.</li> </ul> | MC, MS, EQ,<br>GI, MA, DD,<br>HS, TI<br>ST (PT Only) |

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.