



# Smarter Balanced Assessment Consortium Claims, Targets, and Standard Alignment for Math Interim Assessment Blocks



The Smarter Balanced Assessment Consortium (SBAC) has created a hierarchy comprised of claims and targets that together can be used to make statements about student achievement. Claims are broad statements that outline the outcomes achieved with mastery of the standards within it. Within each claim are a variety of assessment targets that further clarify the knowledge and specific skills that cross over a cluster of standards.

The following tables layout the claims and targets for each assessment claim. Each target may feature a standard or a variety of standards that make up the skill(s) of the target. Each target lists Depth of Knowledge level(s), item type(s) in which the target may be assessed as well as the Interim Assessment Block (IAB) that the target may be assessed in.

## Item Types:

- MC – Multiple Choice, Single Correct Response
- MS – Multiple Choice, Multiple Correct Response
- EQ – Equation/Numeric
- MA – Matching Tables
- TI – Fill-in tables
- DD – Drag and Drop
- HS – Hot Spot
- G – Graphing
- GI – Graphing Interaction
- ST – Short Text

## Depth of Knowledge:

- 1 - Recall
- 2 - Skill/Concept
- 3 - Strategic Thinking
- 4 - Extended Thinking

## Major and Additional/Supporting Clusters:

Not all content in a given grade is emphasized equally in the standards. Some clusters require greater emphasis than others based on the depth of ideas, the time they take to master, and/or their importance to future mathematics or the demands of college and career readiness. The following tables identify the additional and supporting work for the grade with shading. If no shading is included, all standards listed are part of the major work for the grade.



Claim	Target	IAB	DOK	Standards	Item Types
<b>1: Concepts and Procedures</b>	<b>A:</b> Extend the properties of exponents to rational exponents.	No IAB	1, 2	<p><b>N.RN.1:</b> Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents.</p> <p><b>N.RN.2:</b> Rewrite expressions involving radicals and rational exponents using the properties of exponents.</p>	MC, MS, EQ, MA
	<b>B:</b> Use properties of rational and irrational numbers.	No IAB	1, 2, 3	<b>N.RN.3:</b> Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.	MS, MA, HS
	<b>C:</b> Reason quantitatively and use units to solve problems.	No IAB	1, 2	<b>N.Q.1:</b> Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.	MC, MS, DD, MA
	<b>D:</b> Interpret the structure of expressions.	No IAB	1, 2	<b>A.SSE.2:</b> Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$ , thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$ .	MC, MA, DD

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
<b>1: Concepts and Procedures</b>	<b>E:</b> Write expressions in equivalent forms to solve problems.	No IAB	1,2	<p><b>A.SSE.3:</b> Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.</p> <p><b>A.SSE.3a:</b> Factor a quadratic expression to reveal the zeros of the function it defines.</p> <p><b>A.SSE.3b:</b> Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.</p> <p><b>A.SSE.3c:</b> Use the properties of exponents to transform expressions for exponential functions. For example, the expression <math>1.15t</math> can be rewritten as <math>(1.15^{1/12})^{12t} \approx 1.012^{12t}</math> to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</p>	EQ, MC, HS
	<b>F:</b> Perform arithmetic operations on polynomials.	No IAB	2	<b>A.APR.1:</b> Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.	EQ, MC
	<b>G:</b> Create equations that describe numbers or relationships.	Algebra and Functions I Algebra and Functions II	1, 2	<p><b>A.CED.1:</b> Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</p> <p><b>A.CED.2:</b> Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p>	EQ, G
	<b>H:</b> Understand solving equations as a process of reasoning and explain the reasoning.	Algebra and Functions II	1, 2	<b>A.REI.2:</b> Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.	MC, EQ, MA

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
<b>1: Concepts and Procedures</b>	I: Solve equations and inequalities in one variable.	Algebra and Functions I Algebra and Functions II	1, 2	<p><b>A.REI.3:</b> Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.</p> <p><b>A.REI.4:</b> Solve quadratic equations in one variable.</p> <p><b>A.REI.4a:</b> Use the method of completing the square to transform any quadratic equation in <math>x</math> into an equation of the form <math>(x - p)^2 = q</math> that has the same solutions. Derive the quadratic formula from this form.</p> <p><b>A.REI.4b:</b> Solve quadratic equations by inspection (e.g., for <math>x^2 = 49</math>), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as <math>a \pm bi</math> for real numbers <math>a</math> and <math>b</math>.</p>	MC, EQ, MA
	J: Represent and solve equations and inequalities graphically.	Algebra and Functions I Algebra and Functions II	1, 2	<p><b>A.REI.10:</b> Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).</p> <p><b>A.REI.11:</b> Explain why the <math>x</math>-coordinates of the points where the graphs of the equations <math>y = f(x)</math> and <math>y = g(x)</math> intersect are the solutions of the equation <math>f(x) = g(x)</math>; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where <math>f(x)</math> and/or <math>g(x)</math> are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.</p> <p><b>A.REI.12:</b> Graph the solutions to a linear inequality in two variables as a half plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.</p>	MC, MS, HS, G, DD, MA, EQ

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
<b>1: Concepts and Procedures</b>	<b>K:</b> Understand the concept of a function and use function notation.	No IAB	1, 2	<b>F.IF.1:</b> Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If $f$ is a function and $x$ is an element of its domain, then $f(x)$ denotes the output of $f$ corresponding to the input $x$ . The graph of $f$ is the graph of the equation $y = f(x)$ .	MC, MS, MA, G
				<b>F.IF.3</b> Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by $f(0) = f(1) = 1$ , $f(n+1) = f(n) + f(n-1)$ for $n \geq 1$ .	
	<b>L:</b> Interpret functions that arise in applications in terms of a context.	Algebra and Functions I  Algebra and Functions II	1, 2	<b>F.IF.4:</b> For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.	MA, MC, MS, EQ, HS, G
				<b>F.IF.5:</b> Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function $h(n)$ gives the number of person-hours it takes to assemble $n$ engines in a factory, then the positive integers would be an appropriate domain for the function.	
<b>F.IF.6:</b> Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.					

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
<b>1: Concepts and Procedures</b>	<b>M:</b> Analyze functions using different representations.	Algebra and Functions I  Algebra and Functions II	1, 2, 3	<p><b>F.IF.7:</b> Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.</p> <p><b>F.IF.7a:</b> Graph linear and quadratic functions and show intercepts, maxima, and minima.</p> <p><b>F.IF.7b:</b> Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.</p> <p><b>F.IF.7c:</b> Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.</p> <p><b>F.IF.7e:</b> Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.</p>	G, MA, HS, MS, EQ
				<p><b>F.IF.8:</b> Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.</p> <p><b>F.IF.8a:</b> Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.</p> <p><b>F.IF.8b:</b> Use the properties of exponents to interpret expressions for exponential functions. For example, identify percent rate of change in functions such as <math>y = (1.02)^t</math>, <math>y = (0.97)^t</math>, <math>y = (1.10)^{12t}</math>, <math>y = (1.2)^{t/10}</math>, and classify them as representing exponential growth or decay.</p>	
				<p><b>F.IF.9:</b> Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.</p>	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target	IAB	DOK	Standards	Item Types
<b>1: Concepts and Procedures</b>	<b>N:</b> Build a function that models a relationship between two quantities.	Algebra and Functions I	2	<b>F.BF.1:</b> Write a function that describes a relationship between two quantities. <b>F.BF.1a:</b> Determine an explicit expression, a recursive process, or steps for calculation from a context.	MC, EQ, MA, TI
		Algebra and Functions II		<b>F.BF.2:</b> Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.	
	<b>O:</b> Define trigonometric ratios and solve problems involving right triangles.	Geometry and Right Triangle Trigonometry	1, 2	<b>G.SRT.6:</b> Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.	MC, MS, EQ, MA
				<b>G.SRT.7:</b> Explain and use the relationship between the sine and cosine of complementary angles.	
				<b>G.SRT.8:</b> Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.	
	<b>P:</b> Summarize, represent, and interpret data on a single count or measurement variable.	Statistics and Probability	2	<b>S.ID.1:</b> Represent data with plots on the real number line (dot plots, histograms, and box plots).	MC, HS, MA, DD
<b>S.ID.2:</b> Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets.					
<b>S.ID.3:</b> Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).					

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>2: Problem Solving</b>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Select and use appropriate tools strategically. (1, 2, 3)</p> <p><b>C:</b> Interpret results in the context of a situation. (1, 2, 3)</p> <p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	Algebra and Functions I	<p><b>N.Q.1:</b> Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>
		Algebra and Functions II	<p><b>N.Q.2:</b> Define appropriate quantities for the purpose of descriptive modeling.</p>	
		Geometry and Right Triangle Trigonometry	<p><b>N.Q.3:</b> Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.</p>	
		Statistics and Probability	<p><b>A.SSE.1:</b> Interpret expressions that represent a quantity in terms of its context.</p> <p><b>A.SSE.1a:</b> Interpret parts of an expression, such as terms, factors, and coefficients.</p> <p><b>A.SSE.1b:</b> Interpret complicated expressions by viewing one or more of their parts as a single entity. For example, interpret <math>P(1+r)^n</math> as the product of <math>P</math> and a factor not depending on <math>P</math>.</p>	
		Performance Task	<p><b>A.SSE.2:</b> Use the structure of an expression to identify ways to rewrite it. For example, see <math>x^4 - y^4</math> as <math>(x^2)^2 - (y^2)^2</math>, thus recognizing it as a difference of squares that can be factored as <math>(x^2 - y^2)(x^2 + y^2)</math>.</p> <p><b>A.SSE.3:</b> Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.</p> <p><b>A.SSE.3a:</b> Factor a quadratic expression to reveal the zeros of the function it defines.</p> <p><b>A.SSE.3b:</b> Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.</p> <p><b>A.SSE.3c:</b> Use the properties of exponents to transform expressions for exponential functions. For example the expression <math>1.15t</math> can be rewritten as <math>(1.151/12)^{12t} \approx 1.012^{12t}</math> to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</p>	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>2: Problem Solving</b>	<b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)	Algebra and Functions I	<b>A.SSE.4:</b> Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. For example, calculate mortgage payments.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
		Algebra and Functions II	<b>A.CED.1:</b> Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.	
	<b>B:</b> Select and use appropriate tools strategically. (1, 2, 3)	Geometry and Right Triangle Trigonometry	<b>A.CED.2:</b> Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.	
		Statistics and Probability	<b>A.CED.3:</b> Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or nonviable options in a modeling context. For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.	
	<b>C:</b> Interpret results in the context of a situation. (1, 2, 3)	Performance Task	<b>A.CED.4:</b> Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. For example, rearrange Ohm's law $V = IR$ to highlight resistance $R$ .	
			<b>A.REI.2:</b> Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.	
			<b>A.REI.3:</b> Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.	
<b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)				

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>2: Problem Solving</b>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Select and use appropriate tools strategically. (1, 2, 3)</p>	<p>Algebra and Functions I</p> <p>Algebra and Functions II</p>	<p><b>A.REI.4:</b> Solve quadratic equations in one variable.  <b>A.REI.4a:</b> Use the method of completing the square to transform any quadratic equation in <math>x</math> into an equation of the form <math>(x - p)^2 = q</math> that has the same solutions. Derive the quadratic formula from this form.  <b>A.REI.4b:</b> Solve quadratic equations by inspection (e.g., for <math>x^2 = 49</math>), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as <math>a \pm bi</math> for real numbers <math>a</math> and <math>b</math>.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>
	<p><b>C:</b> Interpret results in the context of a situation. (1, 2, 3)</p>	<p>Geometry and Right Triangle Trigonometry</p>	<p><b>A.REI.5:</b> Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.</p>	
	<p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	<p>Statistics and Probability</p>	<p><b>A.REI.6:</b> Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.</p>	
		<p>Performance Task</p>	<p><b>A.REI.7:</b> Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line <math>y = -3x</math> and the circle <math>x^2 + y^2 = 3</math>.</p>	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>2: Problem Solving</b>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Select and use appropriate tools strategically. (1, 2, 3)</p> <p><b>C:</b> Interpret results in the context of a situation. (1, 2, 3)</p> <p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	Algebra and Functions I	<b>A.REI.10:</b> Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
		Algebra and Functions II	<b>A.REI.11:</b> Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$ ; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.	
		Geometry and Right Triangle Trigonometry	<b>A.REI.12:</b> Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.	
		Statistics and Probability	<b>F.IF.1:</b> Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If $f$ is a function and $x$ is an element of its domain, then $f(x)$ denotes the output of $f$ corresponding to the input $x$ . The graph of $f$ is the graph of the equation $y = f(x)$ .	
		Performance Task	<b>F.IF.2:</b> Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>2: Problem Solving</b>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Select and use appropriate tools strategically. (1, 2, 3)</p> <p><b>C:</b> Interpret results in the context of a situation. (1, 2, 3)</p> <p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	Algebra and Functions I	<p><b>F.IF.3</b> Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by <math>f(0) = f(1) = 1</math>, <math>f(n+1) = f(n) + f(n-1)</math> for <math>n \geq 1</math>.</p>	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
		Algebra and Functions II	<p><b>F.IF.4:</b> For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</p>	
		Geometry and Right Triangle Trigonometry	<p><b>F.IF.5:</b> Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function <math>h(n)</math> gives the number of person-hours it takes to assemble <math>n</math> engines in a factory, then the positive integers would be an appropriate domain for the function.</p>	
		Statistics and Probability	<p><b>F.IF.6:</b> Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.</p>	
		Performance Task		

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>2: Problem Solving</b>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Select and use appropriate tools strategically. (1, 2, 3)</p> <p><b>C:</b> Interpret results in the context of a situation. (1, 2, 3)</p> <p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	<p>Algebra and Functions I</p> <p>Algebra and Functions II</p> <p>Geometry and Right Triangle Trigonometry</p> <p>Statistics and Probability</p> <p>Performance Task</p>	<p><b>F.IF.7:</b> Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.</p> <p><b>F.IF.7a:</b> Graph linear and quadratic functions and show intercepts, maxima, and minima.</p> <p><b>F.IF.7b:</b> Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.</p> <p><b>F.IF.7c:</b> Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.</p> <p><b>F.IF.7d:</b> (+) Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior.</p> <p><b>F.IF.7e:</b> Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.</p> <hr/> <p><b>F.IF.8:</b> Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.</p> <p><b>F.IF.8a:</b> Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.</p> <p><b>F.IF.8b:</b> Use the properties of exponents to interpret expressions for exponential functions. For example, identify percent rate of change in functions such as <math>y = (1.02)^t</math>, <math>y = (0.97)^t</math>, <math>y = (1.01)^{12t}</math>, <math>y = (1.2)^{t/10}</math>, and classify them as representing exponential growth or decay.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>2: Problem Solving</b>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Select and use appropriate tools strategically. (1, 2, 3)</p> <p><b>C:</b> Interpret results in the context of a situation. (1, 2, 3)</p> <p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	Algebra and Functions I	<p><b>F.BF.1:</b> Write a function that describes a relationship between two quantities.</p> <p><b>F.BF.1a:</b> Determine an explicit expression, a recursive process, or steps for calculation from a context.</p> <p><b>F.BF.1b:</b> Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.</p> <p><b>F.BF.1c:</b> (+) Compose functions. For example, if <math>T(y)</math> is the temperature in the atmosphere as a function of height, and <math>h(t)</math> is the height of a weather balloon as a function of time, then <math>T(h(t))</math> is the temperature at the location of the weather balloon as a function of time.</p>	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
		Algebra and Functions II	<p><b>F.BF.2:</b> Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.</p>	
		Geometry and Right Triangle Trigonometry	<p><b>G.SRT.6:</b> Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.</p>	
		Statistics and Probability	<p><b>G.SRT.7:</b> Explain and use the relationship between the sine and cosine of complementary angles.</p>	
		Performance Task	<p><b>G.SRT.8:</b> Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.</p>	
			<p><b>S.ID.7:</b> Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data.</p>	
			<p><b>S.ID.8:</b> Compute (using technology) and interpret the correlation coefficient of a linear fit.</p>	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>2: Problem Solving</b>	<p><b>A:</b> Apply mathematics to solve well-posed problems in pure mathematics and arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Select and use appropriate tools strategically. (1, 2, 3)</p> <p><b>C:</b> Interpret results in the context of a situation. (1, 2, 3)</p> <p><b>D:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p>	Algebra and Functions I	<b>S.ID.9:</b> Distinguish between correlation and causation.	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>
		Algebra and Functions II	<b>S.CP.1:</b> Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events ("or," "and," "not").	
		Geometry and Right Triangle Trigonometry	<b>S.CP.2:</b> Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent.	
		Statistics and Probability	<b>S.CP.3:</b> Understand the conditional probability of A given B as $P(A \text{ and } B)/P(B)$ , and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A, and the conditional probability of B given A is the same as the probability of B.	
		Performance Task	<b>S.CP.4:</b> Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. For example, collect data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results.	
			<b>S.CP.5:</b> Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>3: Communicating Reasoning</b>	<b>A:</b> Test propositions or conjectures with specific examples. (2, 3)	Algebra and Functions I  Algebra and Functions II  Geometry and Right Triangle Trigonometry  Statistics and Probability  Performance Task	<b>N.RN.1:</b> Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. For example, we define $5^{1/3}$ to be the cube root of 5 because we want $(5^{1/3})^3 = 5^{(1/3) \cdot 3}$ to hold, so $(5^{1/3})^3$ must equal 5.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)			
	<b>C:</b> State logical assumptions being used. (2, 3)			
	<b>D:</b> Use the technique of breaking an argument into cases. (2, 3)			
	<b>E:</b> Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)		<b>N.RN.2:</b> Rewrite expressions involving radicals and rational exponents using the properties of exponents.	
	<b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)		<b>N.RN.3:</b> Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.	
	<b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)		<b>A.SSE.2:</b> Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$ , thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$ .	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>3: Communicating Reasoning</b>	<b>A:</b> Test propositions or conjectures with specific examples. (2, 3)		<b>A.APR.1:</b> Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)		<b>A.APR.2:</b> Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number $a$ , the remainder on division by $x - a$ is $p(a)$ , so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$ .	
	<b>C:</b> State logical assumptions being used. (2, 3)	Algebra and Functions I	<b>A.APR.3:</b> Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.	
	<b>D:</b> Use the technique of breaking an argument into cases. (2, 3)	Algebra and Functions II	<b>A.APR.4:</b> Prove polynomial identities and use them to describe numerical relationships. For example, the polynomial identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples.	
	<b>E:</b> Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)	Geometry and Right Triangle Trigonometry	<b>A.APR.6:</b> Rewrite simple rational expressions in different forms; write $a(x)/b(x)$ in the form $q(x) + r(x)/b(x)$ , where $a(x)$ , $b(x)$ , $q(x)$ , and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$ , using inspection, long division, or, for the more complicated examples, a computer algebra system.	
	<b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)	Statistics and Probability		
<b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)	Performance Task			

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>3: Communicating Reasoning</b>	<b>A:</b> Test propositions or conjectures with specific examples. (2, 3)	Algebra and Functions I	<b>A.REI.1:</b> Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)		<b>A.REI.2:</b> Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.	
	<b>C:</b> State logical assumptions being used. (2, 3)	Algebra and Functions II	<b>A.REI.5:</b> Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.	
	<b>D:</b> Use the technique of breaking an argument into cases. (2, 3)	Geometry and Right Triangle Trigonometry	<b>A.REI.6:</b> Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.	
	<b>E:</b> Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)	Statistics and Probability	<b>A.REI.7:</b> Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$ .	
	<b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)	Performance Task	<b>A.REI.8:</b> Represent a system of linear equations as a single matrix equation in a vector variable.	
	<b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)		<b>A.REI.9:</b> Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension $3 \times 3$ or greater).	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>3: Communicating Reasoning</b>	<b>A:</b> Test propositions or conjectures with specific examples. (2, 3)	Algebra and Functions I	<b>A.REI.10:</b> Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)		Algebra and Functions II	
	<b>C:</b> State logical assumptions being used. (2, 3)	Geometry and Right Triangle Trigonometry		
	<b>D:</b> Use the technique of breaking an argument into cases. (2, 3)		Statistics and Probability	
	<b>E:</b> Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)	Performance Task	<b>F.IF.9:</b> Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.	
	<b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)			
	<b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)			

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>3: Communicating Reasoning</b>	<b>A:</b> Test propositions or conjectures with specific examples. (2, 3)	Algebra and Functions I	<b>F.BF.3:</b> Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k f(x)$ , $f(kx)$ , and $f(x + k)$ for specific values of $k$ (both positive and negative); find the value of $k$ given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)			
	<b>C:</b> State logical assumptions being used. (2, 3)	Algebra and Functions II	<b>F.BF.4:</b> Find inverse functions: <b>F.BF.4a</b> Solve an equation of the form $f(x) = c$ for a simple function $f$ that has an inverse and write an expression for the inverse. For example, $f(x) = 2x^3$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$ .	
	<b>D:</b> Use the technique of breaking an argument into cases. (2, 3)			
	<b>E:</b> Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)	Geometry and Right Triangle Trigonometry	<b>F.TF.1:</b> Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.	
	<b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)	Statistics and Probability	<b>F.TF.2:</b> Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.	
<b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)	Performance Task	<b>F.TF.8:</b> Prove the Pythagorean identity $\sin^2(\theta) + \cos^2(\theta) = 1$ and use it to find $\sin(\theta)$ , $\cos(\theta)$ , or $\tan(\theta)$ given $\sin(\theta)$ , $\cos(\theta)$ , or $\tan(\theta)$ and the quadrant of the angle.		

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>3: Communicating Reasoning</b>	<b>A:</b> Test propositions or conjectures with specific examples. (2, 3)		<b>G.CO.1:</b> Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)		<b>G.CO.2:</b> Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).	
	<b>C:</b> State logical assumptions being used. (2, 3)		Algebra and Functions I	
	<b>D:</b> Use the technique of breaking an argument into cases. (2, 3)		Algebra and Functions II	
	<b>E:</b> Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)		Geometry and Right Triangle Trigonometry	
	<b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)		Statistics and Probability	
	<b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)		Performance Task	
		<b>G.CO.3:</b> Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.		
		<b>G.CO.4:</b> Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.		
		<b>G.CO.5:</b> Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.		
		<b>G.CO.6:</b> Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent.		

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>3: Communicating Reasoning</b>	<b>A:</b> Test propositions or conjectures with specific examples. (2, 3)	Algebra and Functions I  Algebra and Functions II  Geometry and Right Triangle Trigonometry  Statistics and Probability  Performance Task	<b>G.CO.7:</b> Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)		<b>G.CO.8:</b> Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.	
	<b>C:</b> State logical assumptions being used. (2, 3)		<b>G.CO.9:</b> Prove theorems about lines and angles. Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.	
	<b>D:</b> Use the technique of breaking an argument into cases. (2, 3)		<b>G.CO.10:</b> Prove theorems about triangles. Theorems include: measures of interior angles of a triangle sum to 180°; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.	
	<b>E:</b> Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)		<b>G.CO.11:</b> Prove theorems about parallelograms. Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals.	
	<b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)			
	<b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)			

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>3: Communicating Reasoning</b>	<b>A:</b> Test propositions or conjectures with specific examples. (2, 3)		<b>G.SRT.1:</b> Verify experimentally the properties of dilations given by a center and a scale factor: <b>G.SRT.1a:</b> A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged. <b>G.SRT.1b:</b> The dilation of a line segment is longer or shorter in the ratio given by the scale factor.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning that will justify or refute propositions or conjectures. (2, 3, 4)			
	<b>C:</b> State logical assumptions being used. (2, 3)	Algebra and Functions I	<b>G.SRT.2:</b> Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides.	
	<b>D:</b> Use the technique of breaking an argument into cases. (2, 3)	Algebra and Functions II		
	<b>E:</b> Distinguish correct logic or reasoning from that which is flawed and—if there is a flaw in the argument—explain what it is. (2, 3, 4)	Geometry and Right Triangle Trigonometry	<b>G.SRT.3:</b> Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar.	
	<b>F:</b> Base arguments on concrete referents such as objects, drawings, diagrams, and actions. (2, 3)	Statistics and Probability		
	<b>G:</b> At later grades, determine conditions under which an argument does and does not apply. (For example, area increases with perimeter for squares, but not for all plane figures.) (2, 3)	Performance Task	<b>G.SRT.4:</b> Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity.  <b>G.SRT.5:</b> Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures.	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>4: Modeling and Data Analysis</b>	<b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)	Algebra and Functions I	<b>N.Q.1:</b> Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)		<b>N.Q.2:</b> Define appropriate quantities for the purpose of descriptive modeling.	
	<b>C:</b> State logical assumptions being used. (1, 2, 3)		<b>N.Q.3:</b> Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.	
	<b>D:</b> Interpret results in the context of a situation. (2, 3)	Algebra and Functions II	<b>A.SSE.3:</b> Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.	
	<b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)	Geometry and Right Triangle Trigonometry	<b>A.SSE.3a:</b> Factor a quadratic expression to reveal the zeros of the function it defines. <b>A.SSE.3b:</b> Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.	
	<b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)	Statistics and Probability	<b>A.SSE.3c:</b> Use the properties of exponents to transform expressions for exponential functions. For example the expression $1.15^t$ can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.	
<b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)	Performance Task	<b>A.SSE.4:</b> Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. For example, calculate mortgage payments.		

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>4: Modeling and Data Analysis</b>	<b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)		<b>A.CED.1:</b> Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)	Algebra and Functions I	<b>A.CED.2:</b> Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.	
	<b>C:</b> State logical assumptions being used. (1, 2, 3)	Algebra and Functions II	<b>A.CED.3:</b> Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or nonviable options in a modeling context. For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.	
	<b>D:</b> Interpret results in the context of a situation. (2, 3)	Geometry and Right Triangle Trigonometry		
	<b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)	Statistics and Probability		
	<b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)	Performance Task	<b>A.CED.4:</b> Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. For example, rearrange Ohm's law $V = IR$ to highlight resistance $R$ .	
	<b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)			

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>4:</b> <b>Modeling and Data Analysis</b>	<b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)		<b>A.REI.1:</b> Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)	Algebra and Functions I	<b>A.REI.2:</b> Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.	
	<b>C:</b> State logical assumptions being used. (1, 2, 3)	Algebra and Functions II	<b>A.REI.3:</b> Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.	
	<b>D:</b> Interpret results in the context of a situation. (2, 3)	Geometry and Right Triangle Trigonometry	<b>A.REI.4:</b> Solve quadratic equations in one variable. <b>A.REI.4a:</b> Use the method of completing the square to transform any quadratic equation in $x$ into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form. <b>A.REI.4b:</b> Solve quadratic equations by inspection (e.g., for $x^2 = 49$ ), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers $a$ and $b$ .	
	<b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)	Statistics and Probability	<b>A.REI.5:</b> Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.	
<b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)	Performance Task			
<b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)				

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>4: Modeling and Data Analysis</b>	<b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)		<b>A.REI.6:</b> Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)	Algebra and Functions I	<b>A.REI.7:</b> Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$ .	
	<b>C:</b> State logical assumptions being used. (1, 2, 3)	Algebra and Functions II		
	<b>D:</b> Interpret results in the context of a situation. (2, 3)	Geometry and Right Triangle Trigonometry		
<b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)	Statistics and Probability	<b>A.REI.8:</b> Represent a system of linear equations as a single matrix equation in a vector variable.		
<b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)	Performance Task	<b>A.REI.9:</b> Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension $3 \times 3$ or greater).		
<b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)				

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>4: Modeling and Data Analysis</b>	<b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)	Algebra and Functions I  Algebra and Functions II  Geometry and Right Triangle Trigonometry  Statistics and Probability  Performance Task	<b>F.IF.4:</b> For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)		<b>F.IF.5:</b> Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function $h(n)$ gives the number of person-hours it takes to assemble $n$ engines in a factory, then the positive integers would be an appropriate domain for the function.	
	<b>C:</b> State logical assumptions being used. (1, 2, 3)		<b>F.IF.6:</b> Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.	
	<b>D:</b> Interpret results in the context of a situation. (2, 3)			
	<b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)			
	<b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)			
	<b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)			

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<p><b>4: Modeling and Data Analysis</b></p>	<p><b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</p> <p><b>C:</b> State logical assumptions being used. (1, 2, 3)</p> <p><b>D:</b> Interpret results in the context of a situation. (2, 3)</p> <p><b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)</p> <p><b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p> <p><b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</p>	<p>Algebra and Functions I</p> <p>Algebra and Functions II</p> <p>Geometry and Right Triangle Trigonometry</p> <p>Statistics and Probability</p> <p>Performance Task</p>	<p><b>F.IF.7:</b> Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.</p> <p><b>F.IF.7a:</b> Graph linear and quadratic functions and show intercepts, maxima, and minima.</p> <p><b>F.IF.7b:</b> Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.</p> <p><b>F.IF.7c:</b> Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.</p> <p><b>F.IF.7d:</b> (+) Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior.</p> <p><b>F.IF.7e:</b> Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>4: Modeling and Data Analysis</b>	<p><b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)</p> <p><b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)</p> <p><b>C:</b> State logical assumptions being used. (1, 2, 3)</p>	<p>Algebra and Functions I</p> <p>Algebra and Functions II</p>	<p><b>F.IF.8:</b> Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.</p> <p><b>F.IF.8a:</b> Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.</p> <p><b>F.IF.8b:</b> Use the properties of exponents to interpret expressions for exponential functions. For example, identify percent rate of change in functions such as <math>y = (1.02)t</math>, <math>y = (0.97)t</math>, <math>y = (1.01)12t</math>, <math>y = (1.2)t/10</math>, and classify them as representing exponential growth or decay.</p>	<p>MC, MS, EQ, DD, HS, GI, MA, TI</p> <p>ST (PT Only)</p>
	<p><b>D:</b> Interpret results in the context of a situation. (2, 3)</p> <p><b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)</p> <p><b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)</p> <p><b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)</p>	<p>Geometry and Right Triangle Trigonometry</p> <p>Statistics and Probability</p> <p>Performance Task</p>		

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>4: Modeling and Data Analysis</b>	<b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)		<b>F.BF.1:</b> Write a function that describes a relationship between two quantities. <b>F.BF.1a:</b> Determine an explicit expression, a recursive process, or steps for calculation from a context. <b>F.BF.1b:</b> Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model. <b>F.BF.1c:</b> (+) Compose functions. For example, if $T(y)$ is the temperature in the atmosphere as a function of height, and $h(t)$ is the height of a weather balloon as a function of time, then $T(h(t))$ is the temperature at the location of the weather balloon as a function of time.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)	Algebra and Functions I		
	<b>C:</b> State logical assumptions being used. (1, 2, 3)	Algebra and Functions II		
	<b>D:</b> Interpret results in the context of a situation. (2, 3)	Geometry and Right Triangle Trigonometry		
	<b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)	Statistics and Probability	<b>F.BF.2:</b> Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. <b>F.TF.5:</b> Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.	
	<b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)	Performance Task	<b>S.ID.1:</b> Represent data with plots on the real number line (dot plots, histograms, and box plots). <b>S-ID.2:</b> Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets <b>S-ID.3:</b> Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).	
	<b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)			

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>4: Modeling and Data Analysis</b>	<b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)		<b>S.ID.4:</b> Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)	Algebra and Functions I	<b>S.ID.5:</b> Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.	
	<b>C:</b> State logical assumptions being used. (1, 2, 3)	Algebra and Functions II	<b>S.ID.6:</b> Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.	
	<b>D:</b> Interpret results in the context of a situation. (2, 3)	Geometry and Right Triangle Trigonometry	<b>S.ID.6a:</b> Fit a function to the data; use functions fitted to data to solve problems in the context of the data. Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.	
	<b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)	Statistics and Probability	<b>S.ID.6b:</b> Informally assess the fit of a function by plotting and analyzing residuals.	
	<b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)	Performance Task	<b>S.ID.6c:</b> Fit a linear function for a scatter plot that suggests a linear association.	
	<b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)		<b>S.IC.1:</b> Understand statistics as a process for making inferences about population parameters based on a random sample from that population.	
			<b>S.IC.3:</b> Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each.	

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Claim	Target/DOK	IAB	Standards	Item Types
<b>4: Modeling and Data Analysis</b>	<b>A:</b> Apply mathematics to solve problems arising in everyday life, society, and the workplace. (2, 3)	Algebra and Functions I  Algebra and Functions II  Geometry and Right Triangle Trigonometry  Statistics and Probability  Performance Task	<b>S.IC.B.4:</b> Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.	MC, MS, EQ, DD, HS, GI, MA, TI  ST (PT Only)
	<b>B:</b> Construct, autonomously, chains of reasoning to justify mathematical models used, interpretations made, and solutions proposed for a complex problem. (2, 3, 4)		<b>S.IC.B.5:</b> Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant.	
	<b>C:</b> State logical assumptions being used. (1, 2, 3)		<b>G.GMD.A.3:</b> Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems.	
	<b>D:</b> Interpret results in the context of a situation. (2, 3)		<b>G.MG.A.1:</b> Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).	
	<b>E:</b> Analyze the adequacy of and make improvements to an existing model or develop a mathematical model of a real phenomenon. (2, 3, 4)		<b>G.MG.A.2:</b> Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot).	
	<b>F:</b> Identify important quantities in a practical situation and map their relationships (e.g., using diagrams, two-way tables, graphs, flowcharts, or formulas). (1, 2, 3)		<b>G.MG.A.3:</b> Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).	
	<b>G:</b> Identify, analyze and synthesize relevant external resources to pose or solve problems. (3, 4)			

Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.



Tables were created using the Math Interim Assessment Block Blueprints v.5.17.2016 as well as the released item and performance task specification tables published by SBAC on 9/28/2015 and 5/27/14.